

SURE-BOARD® SERIES 200B ASSEMBLY
 TESTED AND APPROVED TO MEET UL752
 LEVEL 8 AND NIJ 0108.01 LEVEL III.

PROJECTILE
 SIDE OF WALL

EXIT SIDE
 OF WALL

SURE-BOARD® SERIES 200B
 CONSTRUCTED WITH 1/2" CEMENT BOARD AND 14 GA (0.071) SHEET STEEL.

SURE-BOARD® SERIES 200B CONSTRUCTED WITH 1/2" OR 5/8" GYP BOARD AND 14 GA (0.071) SHEET STEEL.

3 5/8" CFS FRAMED WALL. GAGE OF FRAMING TO BE DETERMINED BY DESIGNER (20GA, 0.033" MIN.)


KEVLAR BALLISTIC BAG SYSTEM

VELCRO ATTACHMENT TAPE IN STUD BAY (TYPICAL) BOTH VERTICAL SIDES. INSTALL #6 SCREWS THRU THE VELCRO INTO THE STUD FRAMING @ 24" O/C EA. SIDE FOR THIS APPLICATION ONLY TO RESTRAIN BAG DURING FILLING PROCESS.

2" DRY GRANULAR BALLISTIC FILL.

#8 x 1 3/4" SELF TAPPING SCREWS @ 6" O/C EDGE AND 12" O/C FIELD.

#8 x 1 3/4" SELF TAPPING SCREWS @ 6" O/C EDGE AND 12" O/C FIELD.



SAMPLE 2 WITH 2" GRANULAR FILL